



**SafetyDataSheet**  
**CeraShield Metal Coat**  
**The Future in Paint Protection**



## 1 Identification

### GHS Product Identifier

Product Code: G3MC04

Product Name: CeraShield Metal Coat

### Other means of identification

N/A

### Recommended use of the chemical and restriction on use

For professional use only.

### Supplier's details

CeraShield SL  
Calle Joan de Saridakis 2,  
Local 1 & 2  
07015 Palma de Mallorca  
Tel: +34 697 955 116  
Claire Steel  
office@cerashield.net

### Emergency phone number

+44 (0) 773 603 9874

## 2 Hazard(s) identification

### Classification of the substance or mixture

Product Definition: Mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Acute Tox. 4, H302  
Skin Irrit. 2, H315  
Eye Irrit. 2A, H319  
Aquatic Chronic 4, H413

See section 16 for full text of the H statements declared above.  
See section 11 for more detailed information on health effects and symptoms. **GHS label elements**





**SafetyDataSheet**  
**CeraShield Metal Coat**  
**The Future in Paint Protection**



**Hazard Statements:**

H302: Harmful if swallowed

H315: Causes skin irritation

H319: Causes serious eye irritation

H413: May cause long lasting harmful effects to aquatic life

**Precautionary Statements:**

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301/P330/P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302/P361/P353: IF ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305/P351/P338/P311 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P405: Store locked up.

**Other hazards which do not result in classification**

None Known

### 3 Composition/information on ingredients

Description	CAS Number	EINECS Number	%	Note
Cyclosilazanes, di-Me, Mehydrogen, polymers with di-Me, Mehydrogen silazanes, reaction Products with 3-(triethoxysilyl)-1-propanamine	475645-84-2		20 - 40	

### 4 First-aid measures

**Description of necessary first-aid measures**

**General:**

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.

**Eye Contact:**

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.

**Inhalation:**

Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

**Skin Contact:**

Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

**Ingestion:**

If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.

**Protection of First-aiders:**

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be



**SafetyDataSheet**  
**CeraShield Metal Coat**  
**The Future in Paint Protection**



dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

**Most important symptoms/effects, acute and delayed**

There are no data available on the mixture itself. The mixture has been assessed following the conventional method of the CLP Regulation (EC) No 1272/2008 and is classified for toxicological properties accordingly. See Sections 2 and 3 for details.

Exposure to component solvent vapour concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness.

Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from skin, resulting in non-allergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

Ingestion may cause nausea, diarrhea and vomiting.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

**Over-exposure signs/symptoms**

Eye contact:	Adverse symptoms may include the following: pain watering redness
Inhalation:	No specific data.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to physician:**

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments:**

No specific treatment.

See toxicological information (section 11)

**5 Fire-fighting measures**

**Suitable extinguishing media**

**Recommended:**

Alcohol-resistant foam, CO<sub>2</sub>, powders, water spray.

Do not use water jet.

**Specific hazards arising from the chemical**

**Hazards from the substance or mixture:**

In a fire or if heated, a pressure increase will occur and the container may burst. This material is potentially harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from



**SafetyDataSheet**  
**CeraShield Metal Coat**  
**The Future in Paint Protection**



being discharged to any waterway, sewer or drain.

**Hazardous thermal decomposition products:**

No specific data.

**Special protective actions for fire-fighters**

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel:**

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**For emergency responders:**

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Potentially water polluting material. May be harmful to the environment if released in large quantities.

### Methods and materials for containment and cleaning up

**Small spill:**

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container.

**Large spill:**

Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.

**Reference to other sections:**

See section 1 for emergency contact information.

See section 8 for information on appropriate personal protective equipment.

See section 13 for additional waste treatment information.

## 7 Handling and storage

### Precautions for safe handling

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapour or spray. Do not ingest. Use only with



**SafetyDataSheet**  
**CeraShield Metal Coat**  
**The Future in Paint Protection**



adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, keep tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against static discharge. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

**Conditions for safe storage, including any incompatibilities**

Store in accordance with local regulations.

**Notes on joint storage**

Keep away from: oxidising agents, strong alkalis, strong acids.

**Additional information on storage conditions**

Observe label precautions. Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight. Keep away from sources of ignition. No smoking. Prevent unauthorised access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

**8 Exposure controls/personal protection**

**Control parameters**

**Occupational exposure limits**

No exposure limit value known.

**Recommended monitoring procedures:**

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

**Appropriate engineering controls**

Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapors below the OEL, suitable protection must be worn.

**Individual protection measures**

**Hygiene Measures:**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection:**

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield/ If inhalation hazard exist, a full-face respirator may be required instead. Recommended: Safety glasses with side-shields.

**Skin Protection**

**Hand protection**



# SafetyDataSheet CeraShield Metal Coat The Future in Paint Protection



There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The breakthrough time must be greater than the end use time of the product.

The instructions and information provided by the glove manufacturer on use, storage maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance.

Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

## Gloves

For prolonged or repeated handling, use the following type of gloves:

Recommended: > 8 hours (breakthrough time): butyl rubber (0.6mm) or nitrile rubber (0.5mm) gloves (EN 374).

The recommendation for the type or types of glove to use when handling this product is based on information from the following source:

EN 374-3 : 2003

The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.

## Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Wear suitable protective clothing and eye/face protection.

## Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

## Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: organic vapour (Type A) and particulate filter (EN 141).

## Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9 Physical and chemical properties

### Physical and chemical properties

#### Appearance

Physical State:	Liquid
Colour:	Clear
Odour:	Slight ammonia smell
Odour threshold:	Not available
pH:	Not available
Melting point/freezing point:	Not available
Initial boiling point and boiling range:	Not available
Flash Point:	Cleveland Open Cup: 89 ° c
Evaporation Rate:	Not available



**SafetyDataSheet**  
**CeraShield Metal Coat**  
**The Future in Paint Protection**



Flammability (solid/gas):	Not available
Upper/lower flammability or explosive limit:	Not available
Vapour pressure:	Not available
Vapour density:	Not available
Relative density:	0.97
Solubility(ies):	Not available
Partition coefficient: n-octanol/water: Auto-ignition temperature: Decomposition temperature:	Not available
Viscosity:	Not available
Explosive properties:	Not available
Oxidising properties:	Not available

## 10 Stability and reactivity

### Reactivity

No specific test data related to reactivity available for this product or its ingredients.

### Chemical stability

Stable under recommended storage and handling conditions (see section 7).

### Possibility of hazardous reactions

Under normal conditions and use, hazardous reaction will not occur.

### Conditions to avoid

When exposed to high temperatures may produce hazardous decomposition products.

### Incompatible materials

Keep away from the following materials to prevent strong exothermic reactions:  
oxidising agents, strong alkalis, strong acids.

### Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11 Toxicological information

### Toxicological (health) effects

<b>Conclusion/Summary:</b>	Based on available data, the classification criteria are not met.
<b>General:</b>	No known significant effects or critical hazards.
<b>Carcinogenicity:</b>	No known significant effects or critical hazards.
<b>Mutagenicity:</b>	No known significant effects or critical hazards.
<b>Teratogenicity:</b>	No known significant effects or critical hazards.
<b>Developmental effects:</b>	No known significant effects or critical hazards.
<b>Fertility effects:</b>	No known significant effects or critical hazards.

**Other information:** Not available.

### Information on the likely routes of exposure

#### Acute toxicity

### Conclusion/Summary



**SafetyDataSheet**  
**CeraShield Metal Coat**  
**The Future in Paint Protection**



Harmful if swallowed

**Irritation/Corrosion**

**Conclusion/Summary**

**Skin:** Irritating to skin.

**Eyes:** Causes serious eye irritation.

**Respiratory:** Based on available data, the classification criteria are not met.

**Symptoms related to the physical, chemical and toxicological characteristics**

Not available.

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Short term exposure**

**Potential immediate effects**

Not available

**Potential delayed effects**

Not available

**Long term exposure**

**Potential immediate effects**

Not available

**Potential delayed effects**

Not available

**Numerical measures of toxicity (such as acute toxicity estimates)**

Not available.

**Interactive effects**

Not available

**Where specific chemical data are not available**

Not available.

**Mixtures**

Not available.

**Mixture versus ingredient information**

Not available.

**Other information**

Not available.

**12 Ecological information**





**SafetyDataSheet**  
**CeraShield Metal Coat**  
**The Future in Paint Protection**



**Toxicity**

There are no data available on the mixture itself.

Do not allow to enter drains or watercourses.

The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is classified for eco-toxicological properties accordingly. See Sections 2 and 3 for details.

Conclusion/Summary: May cause long lasting harmful effects to aquatic life.

**Persistence and degradability**

Based on available data, the classification criteria are not met.

**Bio accumulative potential**

Not available.

**Mobility in soil**

Not available.

**Other adverse effects**

No known significant effects or critical hazards.

**13 Disposal considerations**

**Disposal methods**

**Waste treatment methods**

**Product**

**Methods of disposal:**

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous Waste:**

Yes

**Disposal considerations:**

Do not allow to enter drains or watercourses.

Dispose of according to all federal, state and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

**European waste catalogue (EWC)**

The European Waste Catalogue classification of this product, when disposed of as waste, is:

Waste code	Waste designation
080111*	Waste paint and varnish containing organic solvents or other hazardous substances.

**Packaging**



**SafetyDataSheet**  
**CeraShield Metal Coat**  
**The Future in Paint Protection**



**Methods of disposal:**

The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Disposal considerations**

Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers.

Empty containers must be scrapped or reconditioned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions.

**Special precautions**

This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## 14 Transport information

**UN Number**

Not applicable

**UN Proper Shipping Name**

Not applicable

**Transport hazard class(es)**

Not applicable

**Packing group, if applicable**

Not applicable

**Environmental hazards**

Not applicable

**Special precautions for user**

Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

## 15 Regulatory information

**Safety, health and environmental regulations specific for the product in question**

**EU Regulation (EC) No. 1907/2006 (REACH)**

**Annex XIV - List of substances subject to authorisation**

**Annex XIV**

None of the components are listed.

**Substances of very high concern**

None of the components are listed.



**SafetyDataSheet**  
**CeraShield Metal Coat**  
**The Future in Paint Protection**



**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles**

Not applicable

**Other EU regulations**

**VOC**

The provisions of Directive 2004/42/EC on VOC apply to this product. Refer to the product label and/or technical data sheet for further information.

**VOC for Ready-for-Use Mixture**

Not applicable

**Europe Inventory**

All components are listed or exempted

**Ozone depleting substances (1005/2009/EU)**

Not listed.

**Prior Informed Consent (PIC) (649/2012/EU)**

Not listed.

**Seveso Directive**

This product is not controlled under the Seveso Directive.

**National regulations**

**Industrial use**

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work.

**References**

EH40/2005 Workplace exposure limits.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830.

**International regulations**

**Chemical Weapon Convention List Schedules I, II & III Chemicals**

Not listed.

**Montreal Protocol (Annexes A, B, C, E)**

Not listed.

**Stockholm Convention on Persistent Organic Pollutants**

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)**

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.



**SafetyDataSheet**  
**CeraShield Metal Coat**  
**The Future in Paint Protection**



CN code: 34052000

**International Lists**

**National inventory**

**Australia:** Not determined.  
**Canada:** At least one component is not listed in DSL but all such components are listed in NDSL.  
**China:** Not determined.  
**Japan:** **Japan inventory (ENCS):** Not determined.  
**Japan inventory (ISHL):** Not determined.  
**Malaysia:** Not determined.  
**New Zealand:** Not determined.  
**Philippines:** Not determined.  
**Republic of Korea:** All components are listed or exempted.  
**Taiwan:** Not determined.  
**Turkey:** Not determined.  
**United States:** All components are listed or exempted.

**Chemical safety assessment**

No chemical safety assessment has been carried out.

**16 Other information**

**Other information**

**Abbreviations and acronyms**

ATE: Acute Toxicity Estimate  
 CLP: Classification, Labeling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
 DMEL: Derived Minimal Effect Level  
 DNEL: Derived No Effect Level  
 EUH statement: CLP specific Hazard statement  
 PBT: Persistent, Bio accumulative and Toxic  
 PNEC: Predicted No Effect Concentration  
 RRN: REACH Registration Number  
 vPvB: Very Persistent and Very Bio accumulative

**Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Classification	Justification
Acute Tox.4, H302	Expert Judgement
Skin Irrit.2, H315	Expert Judgement
Eye Irrit.2A, H319	Expert Judgement
Aquatic Chronic4, H413	Expert Judgement

**Full text of H-phrases and P-phrases referred to in sections 2 and 3**

H302: Harmful if swallowed.  
 H315: Causes skin irritation.  
 H318: Causes serious eye irritation.  
 H413: May cause long lasting harmful effects to aquatic life.



**SafetyDataSheet**  
**CeraShield Metal Coat**  
**The Future in Paint Protection**



P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P301/P330/P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P302/P361/P353: IF ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P305/P351/P338/P311: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.  
P405: Store locked up.

**Date of printing:** 07/05/2019

**Date of issue/Date of revision:** 07/05/19  
**Date of Previous issue:** 27/04/18  
**Version:** 6

**Notice to reader**

The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.